

Forest community and Old-growth reservation in the CAR reserve system on Public Land

Community Reservation	Forest Communities: Biodiversity Criteria (JANIS Report 6.1.2)	Old-Growth Communities: Old-Growth Criteria (JANIS Report 6.2.2)
Communities that have fully met the criteria under the JANIS Report	Coastal <i>E. amygdalina</i> forest	Coastal <i>E. amygdalina</i> forest
	<i>Allocasuarina verticillata</i> forest	<i>Banksia serrata</i> woodland
	<i>Acacia melanoxylon</i> forest on rises	<i>E. coccifera</i> dry forest
	<i>E. coccifera</i> dry forest	Dry <i>E. delegatensis</i> forest
	Dry <i>E. delegatensis</i> forest	King Billy Pine with deciduous beech forest
	Tall <i>E. delegatensis</i> forest	Grassy <i>E. globulus</i> forest
	King Billy Pine with deciduous beech forest	Huon Pine forest
	Huon Pine forest	<i>Leptospermum</i> sp./ <i>Melaleuca squarrosa</i> swamp forest
	<i>Leptospermum</i> sp./ <i>Melaleuca squarrosa</i> swamp forest	Thamnic rainforest on less fertile sites
	Callidendrous and thamnic rainforest on fertile sites	Dry <i>E. nitida</i> forest
	Thamnic rainforest on less fertile sites	<i>Notelaea ligustrina</i> and/or <i>Pomaderris apetala</i> forest
	Dry <i>E. nitida</i> forest	Tall <i>E. nitida</i> forest
	Furneaux <i>E. nitida</i> forest	Pencil Pine with deciduous beech forest
	Tall <i>E. nitida</i> forest	Pencil Pine forest
	Dry <i>E. obliqua</i> forest	<i>E. pauciflora</i> forest on sediments
	Tall <i>E. obliqua</i> forest	<i>E. subcrenulata</i> forest
	<i>E. pulchella</i> - <i>E. globulus</i> - <i>E. viminalis</i> grassy shrubby dry sclerophyll forest	<i>E. tenuiramis</i> forest on granite
	Pencil Pine with deciduous beech forest	<i>E. tenuiramis</i> forest on dolerite
	Pencil Pine forest	King Billy Pine forest
<i>E. regnans</i> forest		

E. sieberi forest on granite

Silver wattle (*Acacia dealbata*) forest

E. sieberi forest on other substrates

E. subcrenulata forest

E. tenuiramis forest on granite

E. tenuiramis forest on dolerite

King Billy Pine forest

Forest community and Old-growth reservation in the CAR reserve system on Public Land (cont'd)

Community Reservation	Forest Communities: Biodiversity Criteria (JANIS Report 6.1.2)	Old-Growth Communities: Old-Growth Criteria (JANIS Report 6.2.2)
Communities that have met the practical limits of reservation on public land* (private land required)	Inland <i>E. amygdalina</i> forest	Inland <i>E. amygdalina</i> forest
	<i>E. brookeriana</i> wet forest	<i>Allocasuarina verticillata</i> forest
	<i>Banksia serrata</i> woodland	<i>E. brookeriana</i> wet forest
	<i>Callitris rhomboidea</i> forest	<i>Callitris rhomboidea</i> forest
	<i>E. viminalis</i> and/or <i>E. globulus</i> coastal shrubby forest	<i>E. viminalis</i> / <i>E. ovata</i> / <i>E. amygdalina</i> / <i>E. obliqua</i> damp sclerophyll forest
	Grassy <i>E. globulus</i> forest	<i>E. viminalis</i> and/or <i>E. globulus</i> coastal shrubby forest
	King Island <i>E. globulus</i> / <i>E. brookeriana</i> / <i>E. viminalis</i> forest	<i>Melaleuca ericifolia</i> forest
	<i>Melaleuca ericifolia</i> forest	Shrubby <i>E. ovata</i> forest
	<i>Notelaea ligustrina</i> and/or <i>Pomaderris apetala</i> forest	<i>E. pauciflora</i> forest on dolerite
	Shrubby <i>E. ovata</i> forest	<i>E. rodwayi</i> forest
	<i>E. risdonii</i> forest	<i>E. sieberi</i> forest on granite
	<i>E. rodwayi</i> forest	<i>E. sieberi</i> forest on other substrates
	Inland <i>E. tenuiramis</i> forest	

	<i>E. viminalis</i> grassy forest	Inland <i>E. tenuiramis</i> forest
	Furneaux <i>E. viminalis</i> forest	<i>E. viminalis</i> grassy forest
Communities that have met the criteria under the flexibility provisions of the JANIS Report	Wet <i>E. viminalis</i> forest on basalt	Wet <i>E. viminalis</i> forest on basalt
	<i>E. amygdalina</i> forest on dolerite	<i>E. amygdalina</i> forest on dolerite
	<i>E. amygdalina</i> forest on sandstone	<i>E. amygdalina</i> forest on sandstone
	<i>Acacia melanoxylon</i> forest on flats	Tall <i>E. delegatensis</i> forest
	<i>E. viminalis</i> / <i>E. ovata</i> / <i>E. amygdalina</i> / <i>E. obliqua</i> damp sclerophyll forest	Callidendrous and thamnic rainforest on fertile sites
	<i>E. pauciflora</i> forest on dolerite	Dry <i>E. obliqua</i> forest
	<i>E. pauciflora</i> forest on sediments	Tall <i>E. obliqua</i> forest
		<i>E. pulchella</i> - <i>E. globulus</i> - <i>E. viminalis</i> grassy shrubby dry sclerophyll forest
		<i>E. regnans</i> forest

* Note that a number of forest and old-growth communities have been reserved to the maximum practical extent on public land. These communities have a limited extent on public land, are often fragmented and scattered, and will require protection on private land.